

# Instrument Approach Procedure Coding Tables

## Humberside RNP RWY 20 - Instrument Approach Procedure via OTR

Designator	Sequence Number	Path Terminator	Waypoint Name	Fly-over	Course/Track °M (°T)	Turn Direction	Level Constraint	Speed Constraint	Co-ordinates	Remarks and Distance to MAPt
R20R	001	IF	OTR	N	-	-	<u>2000</u>	-	534153.57N 0000613.45W	IAF
R20R	002	TF	LOUNA	N	278° (278.00°)	LEFT	<u>2000</u>	185	534238.96N 0001522.02W	IF / 8.4NM
R20R	003	TF	NJ20F	N	202° (202.45°)	-	2000	-	534019.13N 0001659.30W	FAF / 5.9NM
R20R	004	TF	RW20	Y	202° (202.43°)	-	-	-	533453.52N 0002045.08W	MAPt
R20R	005	TF	NJM02	Y	202° (202.38°)	-	2000	185	533016.50N 0002356.33W	-

## Humberside RNP RWY 20 - Instrument Approach Procedure via LOUNA

Designator	Sequence Number	Path Terminator	Waypoint Name	Fly-over	Course/Track °M (°T)	Turn Direction	Level Constraint	Speed Constraint	Co-ordinates	Remarks and Distance to MAPt
R20C	001	TF	LOUNA	N	-	-	<u>2000</u>	185	534238.96N 0001522.02W	IF / 8.4NM
R20C	002	TF	NJ20F	N	202° (202.45°)	-	2000	-	534019.13N 0001659.30W	FAF / 5.9NM
R20C	003	TF	RW20	Y	202° (202.43°)	-	-	-	533453.52N 0002045.08W	MAPt
R20C	004	TF	NJM02	Y	202° (202.38°)	-	2000	185	533016.50N 0002356.33W	-