


COMI		
A/G	120.710	FENTON RADIO
LIGHTING		
APCH 06	300m HI coded C/L with 2 bars.	
APCH 24	900m HI coded C/L with 5 bars.	
THR 06/24	HI green bi-d with W bars.	
RWY 06/24	Elev HI bi-d with LI omni-d component. End lights red.	



<p>GUND (Geoid Undulation) = The height of the Geoid (MSL) above the Reference Ellipsoid (WGS 84) at the stated position.</p>	<p>29 (0)</p>
<p>BEARINGS ARE MAGNETIC ELEVATIONS AND HEIGHTS ARE IN FEET</p>	
<p>ELEVATIONS IN FEET AMSL HEIGHTS IN FEET ABOVE AD</p>	

RUNWAY/TAXIWAY/APRON PHYSICAL CHARACTERISTICS		
RUNWAY / RWY / TWY	SURFACE	PCN
RWY 06/24	Asphalt	30/F/C/X/U
Main Apron	Concrete/Asphalt	45/F/C/X/U
Taxiway A	Asphalt	26/F/B/X/U
Taxiway B	Asphalt	20/F/C/X/U
Taxiway E	Asphalt	20/F/C/Z/U
Taxiway F	Asphalt	8/F/C/X/U