

RUNWAY/TAXIWAY/APRON PHYSICAL CHARACTERISTICS		
APRON / RWY / TWY	SURFACE	PCN
RWY 04/22	Grooved Asphalt/Concrete	66/R/D/X/T
Apron Beluga	Concrete	66/R/D/X/T
Apron A	Concrete	23/F/D/Y/U
Aprons C, D, N	Asphalt	23/F/D/Y/U
TWY A, C, D, G, J, N	Asphalt	23/F/D/Y/U
TWY B	Asphalt	66/R/D/X/T
TWY E	Asphalt/Concrete	66/R/D/X/T

GUND (Geoid Undulation) = The height of the Geoid (MSL) above the Reference Ellipsoid (WGS 84) at the stated position.	
BEARINGS ARE MAGNETIC	
ELEVATIONS IN FEET AMSL	105
HEIGHTS IN FEET ABOVE AD	(60)


55
(9) Δ^{10}



WARNING
Significant compass deviations
on concrete sections of
Runway 04/22 likely, due to
steel reinforcement.



Annual Rate
of Change 0.19°E



COM		
ATIS	125.430	HAWARDEN INFO
TWR	124.955	HAWARDEN TOWER
	121.605	HAWARDEN FIRE

CHANGE (3/26): HAW NDB COORD. RUNWAY MARKING. OBSTACLES.