

RUNWAY/TAXIWAY/APRON PHYSICAL CHARACTERISTICS			
APRON / RWY / TWY	SURFACE	BEARING STRENGTH	ELEVATION
RWY 06R/24L	Asphalt	27/F/C/W/T	-
RWY 06L/24R	Grass	-	-
Main Apron	Concrete	-	-
Main Taxiway	Asphalt	-	-




GUND (Geoid Undulation) =
The height of the Geoid (MSL) above the Reference Ellipsoid (WGS 84) at the stated position.
BEARINGS ARE MAGNETIC
ELEVATIONS AND HEIGHTS ARE IN FEET
ELEVATIONS IN FEET AMSL
HEIGHTS IN FEET ABOVE AD

134
(9)

VAR 0.6°E - 2022

Annual Rate
of Change 0.20°E



Rwy 06L Thr Elev 117
520521.46N 0000727.07E
(GUND Elevation 151)

Rwy 06R Thr Elev 124
520513.47N 0000721.16E
(GUND Elevation 151)

Rwy 24L Thr Elev 106
520536.61N 0000821.34E
(GUND Elevation 151)

Rwy 24R Thr Elev 104
520536.57N 0000806.36E
(GUND Elevation 151)

COM		DUXFORD INFORMATION	
AFIS	122.080		
TWR	121.600		DUXFORD FIRE

CHANGE (5/23): RWY DIMENSIONS, WINDSLEEVES, GUND ELEVATION.